

ELEGANCE

R&D LEYFORM



SCHEDA PRODOTTO

Elegance completa lo spazio lavorativo donando un tocco di raffinatezza alla stanza. Il bracciolo è un vero elemento di classe ed eleganza, che fa risaltare il contrasto delle cromature con il morbido rivestimento. Lo schienale ondulato nella parte alta descrive perfettamente l'anima di questa poltrona.

PRODUCT DETAILS

Elegance, a classic taste in the contemporary lifestyle. Its upholstered armrest contrasting with the chrome frame and its ergonomic backrest way on the top, make this chair so elegant and give refinement to workspace. Class & Style.

TEST E CERTIFICAZIONI AZIENDALI



CORPORATE TEST AND CERTIFICATIONS

ELEGANCE

R&D LEYFORM



TEST E CERTIFICAZIONI SUL PRODOTTO

PRODUCT TEST AND CERTIFICATIONS



SCocca

La scocca è composta da multistrato faggio, spessore mm. 13,5, curvato e incollato ad alta frequenza con colla a bassa emissione di formaldeide (classe E1)
I pannelli sono in multistrato di faggio, spessore mm. 6, curvato e incollato ad alta frequenza con colla a bassa emissione di formaldeide (classe E1)

IMBOTTITURA

L'imbottitura del sedile e dello schienale è in poliuretano espanso indeformabile a densità differenziate, ecologico, privo di fluoro, fluorocarburi e solventi clorurati (C.F.C.), ad espansione con acqua pura. Imbottitura autoestinguente su richiesta.

RIVESTIMENTI

Vedi dati tecnici su cartelline di riferimento.

MECCANISMO

ASSIST BLOCK: Movimento oscillante decentrato di 160 mm. con arresto in 6 posizioni e sicurezza antiribaltamento per lo svincolo dello schienale. Intensità di oscillazione regolabile. In acciaio verniciata nera.

PISTONE

Dispositivo a gas per la regolazione in altezza del sedile.

BASAMENTO

A 5 razze realizzato in lega di alluminio, pressofusa e lucidata.

RUOTE

Ruote doppie piroettanti, con freno autobloccante.

BRACCIOLI

Bracc. in lama di acciaio cromato larghezza mm. 50 sp. mm. 5, soprabracciolo in multistrato di faggio spessore mm. 8, incollato ad alta frequenza con colla a bassa emissione di formaldeide (classe E1).

TEST

EN 1335

IGNIFUGO

Omologato in classe 1IM

ECOSOSTENIBILITA'

Disponibile documentazione CAM

SHELL

The shell is made of beech plywood, thickness mm. 13.5, curved and glued at high frequency with low formaldehyde emission glue (class E1). The panels are in beech plywood, thickness mm. 6, curved and glued at high frequency with low formaldehyde emission glue (class E1)

PADDING

The padding of the seat and back is made of non-deformable polyurethane foam of different densities, ecological, free of fluorine, fluorocarbons and chlorinated solvents (C.F.C.), expanded with pure water. Self-extinguishing padding on request.

UPHOLSTERY

See technical data on reference folders

ASSIST BLOCK MECHANISM:

160 mm off-centered knee-tilt mechanism locks in 6 positions. Anti-shock backrest device with adjustable tension control

GAS LIFT

Gas lift for seat height adjustment.

BASE

5-star base in die-cast and polished aluminium alloy

CASTORS

Nylon twin wheel swivel castors, self-braking.

ARMRESTS

- chromed steel armrests width mm. 50 sp. mm. 5, armrest top pad in beech plywood thickness mm. 8, glued at high frequency with low formaldehyde emission glue (class E1).

TEST

EN 1335

FIRE SAFETY

Approval 1IM class (Italian norm)

ECOSUSTAINABILITY

CAM documentation available

Rilievi dimensionali

Overall dimensions

Articolo / Article	Altezza braccioli / Armrest height	Altezza seduta / Seat height	Altezza totale / Overall height	Prof.tà totale / Overall depth	Largh. totale / Overall width	Largh. sedile / Seat width	Pelle m ² / Leather m ²	Tessuto H140cm / Fabric H140cm	Volume m ³ / Volume m ³	Peso netto Kg / Net weight Kg	Peso lordo Kg / Gross weight Kg
2812	620	445/535	1130/1220	700	700	520	3,37	1,92	0,32	22,00	26,00
2842	620	450/540	910/1000	670	640	500	2,92	1,66	0,28	20,70	24,70
2880	630	470	920	670	595	500	2,84	1,51	0,46	16,00	19,00

Mesures dimensionnelles

Maßangaben

Code / Art.code	Haut. Accoudoirs / Armlehnen- Höhe	Hauteur assise / Sitzhöhe	Hauteur totale / Gesamt- Höhe	Profondeur totale / Gesamt- Tiefe	Largeur totale / Gesamt- -Breite	Largeur d'assise / Sitzbreite	Cuir m ² / Lederbedarf m ²	Tissu H140cm / Stoffbreite H140cm	Volume m ³ / Volume n m ³	Poids net Kg / Netto- Gewicht Kg	Poids brut Kg / Brutto- Gewicht Kg
2812	620	445/535	1130/1220	700	700	520	3,37	1,92	0,32	22	26
2842	620	450/540	910/1000	670	640	500	2,92	1,66	0,28	20,7	24,7
2880	630	470	920	670	595	500	2,84	1,51	0,46	16	19



AZIENDA

Da oltre quarant'anni Leyform unisce tradizione, artigianalità ed esperienza per fornire un prodotto di alta qualità, che rispetta i più severi standard italiani ed internazionali. Grazie al perfetto connubio di questi elementi siamo sempre in grado di soddisfare ogni esigenza del cliente, offrendo il prodotto migliore per ogni tipo di impiego.

COMPANY

For over forty years Leyform combines tradition, craftsmanship and experience to deliver a high quality product that meets the highest Italian and international standards. Thanks to the perfect combination of these elements, we are always able to meet all customer needs, offering the perfect product for every environment.